




Image

Fig. 1. Graph showing correlation between the per cent of the *Diatraea* Infestation and its Intensity

Informations

Extrait:

[I. REPORT ON SUGAR-CANE BORERS](#)

[AT SOLEDAD, CUBA, AND II. DRY-
SEASON STUDIES OF CANE
HOMPTERA AT SOLEDAD, CUBA :
WITH A LIST OF THE COCCIDS OF
THE DISTRICT \(P. 22\)](#)

Provenances:

Bibliothèque Pierre Monbeig de l'Institut
des Hautes Etudes de l'Amérique Latine

Type de contenu - document:

Image - Graphique, tableau

Base:

Bibliothèque numérique Manioc

Format:

image/jpeg

Mots clés

[CANNE À SUCRE](#)

[BIOLOGIE](#)

[CUBA](#)

[20E SIÈCLE](#)

Conditions d'utilisation

Domaine public

Citer ce document

"Fig. 1. Graph showing correlation between the per cent of the Diatraea Infestation and its Intensity", . Extrait de: *I. Report on sugar-cane borers at Soledad, Cuba, and II. Dry-season studies of cane homptera at Soledad, Cuba : with a list of the coccids of the district*, [CUBA](#) , , p. 22. Bibliothèque numérique Manioc consulté le 12 septembre 2026. Lien: [HTTP://WWW.MANIOC.ORG/IMAGES/IHE14010002411](http://www.manioc.org/images/IHE14010002411).

© Manioc 2022 - Tous droits réservés